

Low Profile Rings



Metal Random Dump Packing



Size		#1	#1.5	#2	#2.5	#3	#4	#5
Geometric Surface Area	ft ² /ft ³	70	60	50	39	32	27	20
Void Space	%	96	97	97	97	98	98	98
Bulk Density 304 and 316 SS	lb _m /ft ³	16.9	12.5	14.4	11.6	8.7	8.9	8.5

Metal Low Profile Rings are available in both 304 and 316 stainless steel as standard products. Other alloys such as Hasteloy C276 and others are available on request. Please inquire regarding the specific needs of your project.

Raschig USA, Inc.
Formerly Raschig Jaeger Technologies
 2201 E. Lamar Blvd. #240
 Arlington, TX 76006
 800-678-0345
 817-695-5680
info@raschig-usa.com

IMPORTANT: The following supercedes Buyer's Documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict liability, tort or contract arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled or lab work and must be confirmed by Buyer by testing for intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.