

Raschig Super Ring®

High-performance, free-flowing random metal packing for all mass transfer and heat transfer applications



Size	0.1	0.3	0.5	0.6	0.7	1	1.5	2	3	4
Pieces /ft ³	14,300	5,100	4,110	2,100	1,290	910	340	270	122	110
Weight lbm/ft ³	20	14	17	15	15	14	11	10	9	8
Surface Area ft ² /ft ³	138	96	76	66	55	46	37	31	24	21
Void %	95	96	97	98	98	98	98	98	98	98

Raschig Super Rings are the 4th generation in random packing design. It offers significantly lower pressure drop and equal or superior mass transfer properties vs. traditionally designed random dump metal tower packings. Product is available in 304 SS and 316 SS (both standard stock items) as well as more exotic alloys such as Hastelloy, Inconel and Nickel.

For more information and design assistance, please contact us at:

Raschig USA, Inc.
Formerly Raschig Jaeger Technologies
 2201 E. Lamar Blvd. #240
 Arlington, TX 76006
 800-678-0345
 817-695-5680
 info@raschig-usa.com

Raschig Super Ring® is a Registered Trademark of Raschig USA, Inc.

IMPORTANT: The following supercedes Buyer's Documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict liability, tort or contract arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled or lab work and must be confirmed by Buyer by testing for intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.