
## Raschig Super Ring® Metal

**Metal**High-performance, free-flowing random spherical packing for scrubber and stripper applications.





| Size                        | 0.1    | 0.3   | 0.5   | 0.6   | 0.7   | 1   | 1.5 | 2   | 3   | 4   |
|-----------------------------|--------|-------|-------|-------|-------|-----|-----|-----|-----|-----|
| Pieces /ft³                 | 14,300 | 5,100 | 4,110 | 2,100 | 1,290 | 910 | 340 | 270 | 122 | 110 |
| Weight Ib <sub>m</sub> /ft³ | 20     | 14    | 17    | 15    | 15    | 14  | 11  | 10  | 9   | 8   |
| Surface Area ft²/ft³        | 138    | 96    | 76    | 66    | 55    | 46  | 37  | 31  | 24  | 21  |
| Void %                      | 95     | 96    | 97    | 98    | 98    | 98  | 98  | 98  | 98  | 98  |

Raschig Super Rings are the 4<sup>th</sup> generation in random packing design. It offers significantly lower pressure drop and equal or superior mass transfer properties vs. traditionally designed random dump metal tower packings. Product is available in 304 SS and 316 SS (both standard stock items) as well as more exotic alloys such as Hastelloy, Inconel and Nickel.

For more information and design assistance, please contact us at:

## Raschig USA, Inc.

Formerly Raschig Jaeger Technologies 2201 E. Lamar Blvd. #240 Arlington, TX 76006 800-678-0345 817-695-5680 info@raschig-usa.com

Jaeger Tri-Packs® is a Registered Trademark of Raschig USA, Inc.

IMPORTANT: The following supercedes Buyer's Documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict liability, tort or contract arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled or lab work and must be confirmed by Buyer by testing for intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.